

Software Updates

There are 2 versions of the update instructions, the [Quick Update Instructions](#) or the [Full Update Instructions](#). If this is the first time updating the software, or if you are updating from a version before **7.0.0**, or if you just like having all the instructions right in front of you with nothing left out, see the [Full Update Instructions](#).

The [Professional Installation or Update Service](#) is also available, if you'd like to have our techs perform a single update for you.

Full Update Instructions

These instructions are *smart instructions*: When you first view the instructions, you will enter in the product and version you are updating *from*. It will then generate a set of instructions specific to that product and version, only showing the steps necessary for that *update path* and skipping anything that does not apply, such as any steps for updating older versions than you already have.

We highly recommend using these instructions as they are much more thorough and include every step you might need. As long as you follow every single step in the instructions, you should have a smooth update.

Full Update Instructions

Note: Any sections highlighted the same way that this note is, denote **version specific steps**. This makes it easy to spot the "special steps" that are different than normal, for anyone who is already familiar with the update process.

Quick Update Instructions

These instructions are great for anyone that is already familiar with the update process, to use as a "checklist" so nothing is forgotten. These instructions are short and to the point, and may be hard to follow if you are not familiar with the update process. If one of these steps is not clear to you, we recommend sticking to the [full update instructions](#) until you are familiar with the update process.

<tip c w>**Compatibility:** If you are updating from a version **before 7.0.0**, use the [Complete Update Instructions](#).</tip>

1. Turn your site "off": In the admin panel, at [Site Setup > General Settings](#) change the setting [Site On/Off Switch](#) to **off** and save the changes. <
2. Turn Geo cache off (if currently turned on): In the admin panel, at [Site Setup > Cache](#) change the setting [Cache System](#) to **off** if it is currently on, and save the settings. <
3. Create a full DB backup, and a full File backup. Be sure to "set aside" any built-in files that you have customized, for instance if you have replaced a built-in image with your own. <
4. Download the latest update package from the [client area](#). <
5. If your preferred downloaded package was:

- **Wizard:** If you choose the "wizard" package, double-click on the downloaded executable file, and follow through the steps. Problems with executable [see here](#). If the wizard does not automatically start up the "web based" portion of the update script, follow step IV in the zip instructions below. <
- **Zipped:**
 1. Un-zip the file to your PC.
 2. Upload the files to your site.
 3. Upload the following 3 files in BINARY MODE:
classes/php5_classes/products.zend.php ,
classes/php5_classes/DataAccess.class.zend.php , and
upgrade/updateFactory.zend.php.
 4. Run the update script on your site at **upgrade/index.php**.

< <

1. If you have purchased any addons, download the latest version of the addon from the client area and upload them to your addons directory. See the applicable installation instructions for each addon for more info on how to do that. <
2. Restore any custom files if they were over-written. These are the custom files you "put aside" in step 3.<tip c w>**Warning:** Do NOT attempt to do this with a PHP file, where you keep using the same old PHP file in newer versions. Instead if you have made PHP modifications, re-apply your modifications to the new PHP file in the new version.</tip> <
3. Go to [Addons > Manage Addons](#) and update any addons that need updating. When updating, be sure to read any messages given in case special instructions for updating are needed. <
4. Turn your site "on": In the admin panel, at [Site Setup > General Settings](#) change the setting [Site On/Off Switch](#) to **on** and save the changes. <
5. If you wish, turn Geo cache "on": In the admin panel, at [Site Setup > Cache](#) change the setting [Cache System](#) to **on**, and save the settings. <
6. Delete the **upgrade/** directory if you have not already. <

<tip c n>**Note:** If you have *custom system, module, or addon templates*¹⁾, don't forget to check to see if adjustments are required for your update! See [Geo Updates & Customized Templates](#) for instructions and tips to help you do this.</tip>

What is "Over Written" in an Update?

Are you worried you will have to re-apply your settings? Or wondering if your site design will be reset when you update? Below we answer some of the most asked questions about what an update will affect.

<tip c n>**Note:** Everything mentioned in this section is assuming you are following the [Quick Update Instructions](#) above or the [Complete Update Instructions](#). If you skip any of the steps, such as the ones for backing things up, this information may not apply to you. </tip>

When you update, the following is a short list of what people tend to worry the most about, when asking the question of what is or is not changed. This is not a complete list, just the list of things people ask about most often.

<tip c w>**Warning:** The following is true most of the time, but there are *special cases*, the most notable from if you are updating from a version before 3.1.0. In such special cases, when you use the

[Complete Update Instructions](#), it will tell you about them specific to the product and version you are updating from. Those *special cases* are most likely to occur in feature releases where we tend to make the most changes in order to add new features to the software. We will also make note of those types of changes in the [Release Notes](#), and will usually mention it in the [forum post](#) for the new release. </tip>

What is or is not Changed

- **[Not Changed]** : Most existing settings set in the admin panel²⁾
- **[Sometimes Changed]** : BETA settings³⁾
- **[Not Changed]** : Existing Users
- **[Not Changed]** : Existing user groups/price plans, and category specific pricing.
- **[Not Changed]** : Categories & any category specific settings.
- **[Not Changed]** : Existing Listings are left intact
- **[Not Changed]** : Existing Module settings⁴⁾
- **[Not Changed]** : Extra Page contents under [Pages Management > Extra Pages](#)
- **[Not Changed]** : Logged In/Out HTML Module Contents as set in admin panel.
- **[Not Changed]** : Existing text placed within the "mainbody" of the system. Any extra languages or translations to the text within the system is not changed. But note that almost every version update adds new new text to the system. This new text is added to all languages currently in the system but is not translated within any "non-English" languages. You may need to go through the language export to find any added text and translate it there. Any new text added to the system will be at the end of the export.
- **[Changed]** : Template **files** in the **default template set** under geo_templates/ directory. This will not be an issue if you did not overwrite any of the files in the default template set, like it instructs in this user manual.
- **[Not Changed]** : Template **files** in a **custom template set** under geo_templates/ directory. ⁵⁾
- **[Changed]** : **Images** in the **default template set** under geo_templates/ directory. This will not be an issue if you did not overwrite any of the files in the default template set, like it instructs in this user manual.
- **[Not Changed]** : **Images** in a **custom template set** under geo_templates/ directory.
- **[Changed]** : PHP files⁶⁾

For anything not in that list, the general **rule of thumb** is this: If it is a **file**, it will most likely get **over-written** in an update. If it is something you **change in the admin panel**, it will most likely **not change** in an update.

Version Release Numbers

Here at Geodesic Solutions, we have gone through different policies as far as how to name a release. Beginning back with 3.0.0, we started a standardized method for the version numbers, to make it easy to know the nature of a new version just by looking at the release number. Below are the latest release naming policies. Note that these may change over time, so a "beta" release may have meant something different for a release in the past than what is defined below.

The Number

Each normal version will have 3 numbers in it, separated by dots, for instance **5.6.7**. For the sake of

illustration, below I am going to use a made-up version, **5.6.7**. Below is what each part of the number signifies:

5.6.7: what the numbers mean:

- **5** (first number)- **Major feature release** - If this number changes, it signifies major changes in the software. Upgrading to a new major release is only recommended if you want one of the features listed in the new version. If you have highly "customized" code, keep in mind it will be a lot of work to re-do all of the changes on the new version. Upgrading may require additional steps that the upgrade script is not able to do automatically for one reason or another. It is especially important that you have backed up your existing database and files before you start⁷⁾. For example, for version 6.0.0 the change to use 6 was mainly because the 3rd party library Smarty was updated to a new version, that could potentially break a lot of custom designs, and for some it would require adjustments to templates to continue to work correctly. <
- **6** (second number) - **Minor feature release** - Think of this as a "stair-step feature release". If this number changes, it means the release will have new features. To decide if you want to upgrade, read the changelog for the new version. If any of the new features sound like something you want to use, then get the upgrade. Most likely updates will be very easy, and usually not require many extra steps beyond the normal update instructions. <
- **7** (third number) - **Maintenance Release** - If this number changes, it means the release will have "**bug fixes**" and/or changes to make the software work under new circumstances (as an example, a while back Authorize.net changed something so that transactions failed, so we released a new maintenance release to accommodate the changes). Upgrading the software for a maintenance release is always recommended if it fixes anything that affects your installation. To find if you should update, read the changelog for the release, and if any of the changes fix something that applies to your installation, then do the update. These updates will usually be the easiest, but as always, make sure to back up your current files and database and follow the rest of the normal update uproceedures.

Special Releases

Sometimes you will see a release that looks like 4.2RC1 or 6.5beta1, these are "special" releases. Typically, a special release will only be made for major or minor feature releases, not for maintenance releases (see above). As such, many times the 3rd number is omitted, so that the "special" part of the version replaces the 3rd number. For example, **6.5beta1** rather than ~~6.5.0beta1~~.

Across the net, the terms may hold different meanings. Below is what each of them mean for Geodesic Product releases:

Release Candidates

RC1 This signifies **Release Candidate 1**. It means we have done all the internal testing, and are ready to release the software, but are first releasing it to anyone interested in "trying it out". Typically we will only have Release Candidates on major feature releases, but we might sometimes also have them on minor feature releases too. We especially do this if there is some reason that a particular release has a "high chance" of causing problems. If anyone finds a bug in a release candidate that was not caught in the internal testing, we will fix the bug, do all the internal testing again, and then release a second Release Candidate. Once a release candidate has been out for a long enough time,

with no bugs found, we make the final (non-special) release.

Preview Releases

pre1 - Signifies **Preview Release 1** - We rarely use this one. This is a release intended **primarily for 3rd party developers**, to give them a preview, or a "head start" on making sure their addons or code modifications are compatible with the next release. The "state" of the software for a preview release will vary, but typically the release will be considered "unstable", since it is being released sometimes weeks or months before the normal release, and should not be used in a live environment.

Beta Releases

beta1 - Signifies **Beta Release 1** - This is a beta release, for testing or feedback purposes, usually to test or get feedback on a specific feature or set of features. This is the most "common" type of special release.

Beta releases are **not for everyone**. It is provided for anyone that has the time and desire to try out new features we are working on and give feedback. They are not suitable for everyone, if you do not have the time or desire to do the extra work required to try out a beta version, we recommend to not use it. We are not forcing anyone to use beta versions, they are simply provided as a service to clients that do have the extra time and want to see the latest and greatest.

A beta release **may not be as stable** as the normal releases. We do not recommend it to be used on a live site, at least not until you have tested it for yourself on a test location. The Geocore license is able to be installed on 2 locations, one for your live site and one for testing purposes so that you can create a test installation to try things out if you wish. If you do not have a test installation yet, you can find instructions for creating one using the [Installation Migration](#) guide.

These are available to anyone with GeoCore Classifieds, GeoCore Auctions, or GeoCore MAX, and have a current download access. If you aren't sure, just try to download the beta version, if it allows you to download then you have current access.

It is sometimes released weeks or even months before the final release, it should may or may not already contain all of the features we plan to add for the final release. New features are subject to change between a beta release and a final release. If the "minor feature release" can be thought of as a stair-step release to allow us to rapidly push out new features, beta releases can be thought of as a further extension of that: releases "in between" feature releases where sometimes only one or 2 new features are added, just so you can try out those one or 2 new features. We do not do all of the normal internal testing for beta releases. We also do not do the normal changelog. Depending on the release, we may make a post about it in the forums. For beta releases, on the admin home page, it will list the latest "beta release" available, that way you will know when there is a new beta release. Normal (non-beta) releases will only show the latest "normal" release. There are a few different reasons we may build a beta release:

- Allow client(s) to try out "sponsored" feature as soon as it is ready, without having to wait for the rest of the features to be finished that are planned for the "final" release. <
- Same, but for a "popular" feature that a lot of clients are looking forward to. <
- If we feel a feature is "highly likely" to introduce new bugs due to complexity or whatever that we feel we may not be able to catch everything, we'll release a beta version and sometimes

give instructions on specifically what new feature to try out. <

<

Troubleshooting

Progress data in database is corrupt error message

Problem: When running the update, you get the following error displayed:

```
Internal Critical Error (265):Progress data in database is corrupt (entries in `geodesic_upgrade_progress` do not match upgrades array). Please contact Geodesic Support.
```

Explanation: This can happen if the previous update was never finished fully, if the person that did the update did not click "finish" after the updates were run. Basically what happened is that the previous *update progress* was never cleared, so when you try to run the new update, even though it is some time later, the update progress from the last update is still there and it does not match up with the updates that need to be run.

Solution:

In 4.1.2 and above: In your browser, go to **upgrade/index.php?resetProgress=1** - for example, if the software was installed at the location example.com, the URL you would go to is <http://example.com/upgrade/index.php?resetProgress=1>.

Or, remove the tables **geodesic_upgrade_progress** and **geodesic_upgrade_queries** using PHPMyAdmin.

1)

This is not typical, which is why it is not part of the quick update instructions, or even the full update instructions. If you have customized system, module, or addon templates, you should know already, this is just a reminder.

2)

Note that there may be **new** settings you may need to attend to, but for the most part your existing settings will not be altered in an update. Also note that sometimes settings just go away, for instance if one feature is replaced by another, which can happen in feature releases.

3)

Beta settings are *beta* for a reason. Any beta setting may become obsolete or not used any more, or we may move the setting to a "normal" page and keep the existing setting. If you use any of the beta settings, be sure to check the release notes as we will usually make a note of it when something like that happens.

4)

But note that there are sometimes new modules added.

5)

While they are not changed, if you have customized module or system templates, see [Geo Updates & Customized Templates](#) about update procedures we recommend following in such a case.

6)

If you have customized any PHP files, those customizations **will be over-written** any time you update the software. That is why we encourage developers to use the [addon system](#) so that no

changes are needed to the "core PHP files" and updates are a lot easier because of it.

7)

Although this is something you "should be" doing for every update!

From:

<https://geodesicsolutions.org/wiki/> - **Geodesic Solutions Community Wiki**

Permanent link:

<https://geodesicsolutions.org/wiki/update/start?rev=1371499122>

Last update: **2014/09/25 16:55**

